



"

"





364631

82

- 1200, - 1200 , - 1200

- 86.00.000

11



2

2.1

, ^{3/} ,	500 - 1200
, ²	0,9
,%,	99
,	1350 - 850
, ³	0,1
, ,	850 550 1875
,	120
, ,	45
,	1,1
.....	
,	50±1%
,	380±10%
,	220±10%
, ,	80

12

12.2.007.0 -75, 12.2.003-91, 51562 (12.1.041-83,
60204-1-99, 3646-001-10675319-02 .5),


13

- 86.00.000 ,
- 87.00.000 , - 31.00.000 ()

3 " "
12.1.012-90
TN-C-S
30331.2/ 50571.
2/ 50571.2

- 86.00.000 .4
2.2

(2



.4

3

3.1

	1200	1200	1200	
	1	1	1	
	1	1	1	
	3	3	3	
	1	1	1	
	2	2	2	-
	1	1	1	
	1	1	1	
	3	3	3	
	1	1	----	
*	1	1	1	
8-6g 40.58.016 7798-70	6	6	----	
8-6g 45.58.016 7798-70	----	----	6	
8-6 .5.016 5915-70	6	6	6	
8.01.016 11371-78	6	6	6	
8.65 .029 6402-70	6	6	6	
	1	1	1	

*

4

4.1

12.1.005, 12.2.003, 12.2.007.0, 60204 -1, -

4.1.1 14254 -II IP54

4.1.2 0,1

4.1.3 1

- 86.00.000 .9

200 1000 ; (I)
250 (2- 3-) 50
40 / .
:
,
()
*
:
1- 200 , 2- 3-
50 40 / .
9.2.2
9.2.3 5(0 4) 15150, (-
,
+50 50°
75% 15°).
9.3 2() 15150, (-
,
+40 50°
75% 15).
10
10.1 -3646-001-10675319-02
,
10.2 - 24
10.3 - 6
10.4
,
.11
,
()
()
, ()
,
()
:
- ;
- ;
- ;

- 86.00.000 .8

6.4.3 !

6.4.4 0 (SB1)

6.4.5 12.

7

7.1

7.2 3000 :

7.2.1 ;

7.2.2 ;

7.2.3

7.2.4

8

8.1

		()
	1. 2. 3.	1. 2. 3. 6.2.9.
	4. 5.	4. 5.
1. I 2.	1. 2. ()	1. 2. 2, 4, 6

9

9.1

9.2

9.2.1 « » 23216.

- 86.00.000 .5

1 1500

4.1.4

4.1.5

4.1.6 11.

4.2

4.2.1 2,5

4.2.2

4.2.3

4.2.4


4.2.5

4.3

4.1 4.2;

5

5.1



5.2 (. .5)

1 2,

3

4,

5.

6.

7.

7.

7.


5.3 10,

5.4 7 9.

5.5 6

5.6 11.

5.6 .6.



.6

5.8

5.1

		*			
Q		F364	2212	1	25 , I 30
QF		-2046		1	2,5 ,
1		-1220		1	220
1		-1008		1	2,5
SB1.SB2				2	
1		71 2 3		1	1,1 2850 /

*

6

6.1

6.1.1 , ;

6.1.2 ;

6.2.3 ;

6.2


6.2.1

6.2.2

6.2.3 (.5).

6.2.4

6.2.5



.7

6.2.6

6.2.7

6.2.8

(.6)

1000

QF

Q1

380

10

4

1.5

3

.7.

1,5

11;

6.2.9

0 (SB1).

I (SB2) ,

6.3

6.3.1

6.3.2

6.3.3

I (SB2)

12.

6.4

6.4.1

6.4.2